MEDICATION ORDERS

EVENITY (ROMOSOZUMAB-aqqg)

PATIENT INFORMATION	
Name:	DOB:
Allergies:	Date of Referral:

REFERRAL STATUS

☐ New Referral ☐ Dose or Frequency Change ☐ Order Renewal

DIAGNOSIS AND ICD 10 CODE

☐ Age related Osteoporosis without current pathological fracture ICD10 Code: M81.0
☐ Age related Osteoporosis with current pathological fracture ICD10 Code: M80.0
☐ Other Diagnosis:_____ ICD10 Code: _____

REQUIRED DOCUMENTATION/TESTING

☐ This signed order form by the provider
☐ Patient demographics AND insurance information
☐ Serum calcium level
☐ Documentation of oral hygiene
☐ Clinical/Progress notes
☐ Labs and Tests supporting primary diagnosis
☐ DEXA scan results and/or FRAX score

☐ **TRIED AND FAILED** therapies, including duration of treatment (specifically bisphosphonates):

☐ Actonel (Risedronate)
☐ Forteo (Teriparatide)
☐ Reclast (Zolendronic acid)
☐ Progesterone injections/ supplements
☐ Any calcium supplements or Tums
☐ Boniva (Ibandronate)
☐ Fosamax (Alendronate)
☐ Estrogen injections/ supplements
☐ Prednisone or other steroids
☐ Any generic medicine for osteoporosis
☐ Evista (Raloxifene)
☐ Miacalcin (Calcitonin)
☐ Testosterone injections/ supplements
☐ Synthroid or any thyroid medicine
☐ Other: _____

☐ Patient has previously received Evenity. Date of Last Dose: _____

MEDICATION ORDERS

Dosing: ☐ Evenity 210mg Subcutaneous Injection once monthly up to a max of 12 monthly injections total (given as two injections of 105mg each)

Refills: ☐ x 6 months ☐ x 1 year ☐ _____doses

Treatment Labs:

- ✓ Pregnancy test within 72 hours prior to initiation of therapy for female patient under 55 years of age and no history of surgical hysterectomy
- ✓ Vitamin D within 72 hours of initiation of first dose of therapy
- ✓ CMP, Magnesium and Phosphorus within 72 hours of each dose

- New orders and progress notes required at least once yearly. A medication substitution may be required based on insurance payer policy due to preferred versus non-preferred medications or based on payer step therapy guidelines.
- Please note for patients receiving treatment at the Montgomery Cancer Center: if an infusion reaction occurs, the Montgomery Cancer Center provider will order appropriate rescue medications as deemed medically necessary. This may also include pausing, reducing the rate of infusion or discontinuing the medication.
- Please note for patient receiving treatment at Baptist East Outpatient Infusion: if an infusion reaction occurs, the Baptist East staff will follow the PRN hypersensitivity standing orders and will contact the referring provider in the event of an emergency. For life threatening anaphylaxis, Baptist East staff will follow rapid response policy or 911 facility policy.

Physician Signature: _____ Date: _____

Patient Name: _____ Patient Date of Birth: _____

MEDICATION ORDERS

EVENITY (ROMOSOZUMAB-aqqg)

All order sets will include a statement to activate these PRN hypersensitivity standing orders when necessary.

REACTION SYMPTOMS		DRUG	DOSE	ROUTE
Fever, chills and or rigors	✓	Acetaminophen (Tylenol)	1000mg	PO
Itching, facial flushing, hives, rash	✓	Diphenhydramine (Benadryl)	50mg	IVP
	✓	Famotidine (Pepcid)	20mg	IVP
	✓	Methylprednisolone (Solu-Medrol)	125mg	IVP
Hypotension, wheezing, shortness of breath, facial/lip/tongue swelling	✓	Normal Saline	150ml/hr	IV
	✓	Diphenhydramine (Benadryl)	50mgda	IVP
	✓	Methylprednisolone (Solu-Medrol)	125ng	IVP
	✓	Hydrocortisone (Solu-Cortef)	50mg	IVP
	✓	Epinephrine Pen	0.3mg	IM
Nausea/Vomiting	✓	Granisetron (Kytril)	1mg	IVP

PROVIDER INFORMATION			
Office Contact Name:			
Prescribing Providers Name:		Provider NPI:	
Office Address:	City:	State:	Zip:
Office Phone Number:	Office Fax Number:		
Physician Signature:	Date:		

For questions, please contact
Baptist Outpatient Infusion Services @ (334) 747-7401

Fax completed form and all documentation to
Baptist Outpatient Infusion Services @ (334) 747-7403